

The pannelled residential door range brings elegance, individuality and beauty to the home. With a wide range of decorative glass that is both innovative and classically stylish which you will find both practical and aesthetically pleasing. This choice incorporates acrylic liquid lead, traditional hand crafted lead, genuine glass bevels and the latest crystal resin technology.

DOOR PANEL KEY FEATURES

- ◆ Manufactured from flame retardant PVCu
- ◆ Achieves Class1 rating for surface spread of flame
- ◆ UV stability ensures colour will not fade
- ◆ Excellent thermal and acoustic values
- ◆ Full 10 year warranty
- ◆ Toughened safety glass as standard
- ◆ A range of high quality door furniture available
 - Letterplates
 - Knockers
 - Spy viewers
 - Brass numerals
- ◆ Choice of 4 colours - White, Golden Oak, Rosewood or Mahogany as standard


Furniture Options

All products shown are available in gold, chrome, white and black (except lion head knockers - gold and black only). Chrome finish is available in letterplates and slimline urn knockers / spyholes only.



Door panels are available with a wide range of glass designs. Please ask for further details.

Colour Options



Ayrshire
CF, AP2 G408

Ayrshire
CF, AP2 G62



Ayrshire
WO AP2 301

Flintshire
GB, FP2 G44



Essex
CF, EP2 G62

Essex
CF, EP2 EIRD



Oxfordshire
Leaded



Berkshire
GB, BP3 401

Berkshire
EB, BP2 G501



Berkshire
EB, BP3 G503

Gloucester
GB, GP3 G48



Lancashire
CF, LP2 G54

Lancashire
WO, LP2 308



Ulster
CF, UP2 G412

The above are a selection of panels available. Please ask for our full brochure.



Derbyshire
CF, DP2 409 blue

Derbyshire
CF, DP2 410 red



Derbyshire
GB, DP2 G404

Derbyshire
WO, DP2 309



Massanet
FO, MS2 Supreme

Ulster
CF, UP2 G62

The Polyframe Calder Composite Door provides an attractive and effective solution for residential properties in the public and private sectors.

The Calder range has been developed to offer the highest security and highest weather performance.


The range of styles includes solid panel or part glazed options to mirror traditional door designs. We also offer a wide range of minimum and maximum sizes.

The Calder Composite Door is available in a range of options including - Double Rebated, Single Rebated or Fire Doors - all providing excellent thermal and acoustic performance.


Colour Choices



Red Green



Black Dark blue



White Golden oak Rosewood Duck Egg Blue




Cream Chartwell Green Grey Beck Brown Poppy Red




Door Styles - Single Rebated



Hebden Sowerby Norland Wainstalls Rishworth Ripponden Barkisland Luddenden Warley Southowram




Greetland Soyland Sowood Clifton Crossley Lightcliffe Hipperholme Shibden



Copley 1 Copley 2 Standeven 1 Standeven 2 Skircoat Trimmingham Wadsworth Stainland



- ◆ High Security Multi-point locks with latch
- ◆ Yale keyfree option available
- ◆ Tested to PAS023 and PAS024 - Secure by Design
- ◆ Outerframe available in Eclipse and Rustique
- ◆ Fully reinforced sash - Stormguard Weatherbar as standard
- ◆ Outer skin - textured GRP - Inner skin - White GRP
 - Easy to clean and scratch resistant
 - Attractive woodgrain effect finish
 - High thermal insulation
- ◆ High Security adjustable 3D hinges to all doors for total security
- ◆ 3 threshold options including Part M
- ◆ High density CFC free polyurethane foam inner core with solid composite construction
- ◆ 70mm outer frame to match traditional timber sightlines
- ◆ 23 Styles to choose from in 13 colours and 16 decorative glass options
- ◆ Unique glazing cassette
- ◆ Choice of 6 hardware colour options
- ◆ Integral georgian bar solution available
- ◆ Ultion 3 Star Diamond Sold Secure cylinder as standard




Polyframe Single Rebate Composite doors can be priced and ordered online using our unique on line ordering portal.

Visit www.polyframe-ordering.co.uk



All door furniture is available in a wide range of options. Please ask for a copy of our composite door brochure for full details.

GLASS STYLES - SINGLE REBATED



Please Note: See Composite Door brochure for full details.

* Available in Blue, Red, Green or Black / Grey

Casement Windows

At Polyframe Aluminium we fabricate using the Sapa Crown profile system, which is available in large or small outerframe and either sculptured or chamfered.


The system is fully weather tested and achieves the highest levels of performance. All profiles incorporate polyamide barriers to meet the latest building regulations required in terms of U values and window energy ratings.



KEY FEATURES

- ◆ Slim Sightlines
- ◆ Sculptured or Chamfered profiles in slim (36mm) or large (52mm) outerframe
- ◆ High security BS7950 multi point shootbolt locking
- ◆ Wide choice of colour finishes including Dual colour
- ◆ Thermally broken frames
- ◆ Suitable for glazed screens or bay windows with corner junctions at any angle between 90 and 270 degrees
- ◆ Patented security bead design
- ◆ Weather tested in accordance with BS6375 Pt1 Severe Exposure Category 2000
- ◆ Complies with Doc. L for thermal transmittance
- ◆ Can incorporate mullions and transoms with structural capabilities
- ◆ Trickle vents to meet current Building Regulations


Sculptured 52mm Outerframe



Colour Options



White



Black



Anthracite Grey

Any RAL colour available on request

Residential doors and French doors

The Sapa Crown door system has been designed to create modern, classic, elegant doors made from the most durable and strong material offering long lasting and highly secure performance.

Our single and double French entrance doors have been designed to fit in anywhere around the home with front and back door options. Utilising the highest quality hardware and locks the Polyframe residential door provides the highest security for the home.

Key Features

- ◆ Traditional design with slim sightlines
- ◆ Sculptured or Chamfered profiles in slim or large outerframe
- ◆ High security BS7950 multi point shootbolt locking
- ◆ Wide choice of colour finishes including Dual colour
- ◆ Thermally broken frames
- ◆ Low threshold options including Part M available
- ◆ Split spindle handle operation available
- ◆ Patented security bead design
- ◆ Weather tested in accordance with BS6375 Pt1 Severe Exposure Category 2000



sapa: M Crown

In Line Patio doors are manufactured using the Sapa Crown dedicated patio door profile. Patio doors can be manufactured in 2,3 or 4 pane styles and up to a maximum of 6353mm wide and 2500mm high.




IN LINE SLIDING PATIO KEY FEATURES


- ◆ Traditional design with slim sightlines
- ◆ Wide choice of colour finishes including dual colour
- ◆ Secured tightly by antilift blocks, anti-jemmy plates and an antilift pin in the lock itself
- ◆ Available in 2, 3 and 4 pane options on single sliding track
- ◆ Security designed into system and hardware options
- ◆ Heavy duty interlock option available
- ◆ Can achieve an A Rating and 1.4 U Value - easily surpassing Building Regulations Part L2010
- ◆ Meets BS6375 Part 1 Severe Exposure Category 2000
- ◆ Maximum weight per single pane 120kg, overall maximum width 6353mm
- ◆ Locks and keeps are mild steel zinc plated with corrosion resistance Grade 4 in accordance with BS EN1670




Colour Options



White



Black



Anthracite Grey
Any RAL colour available on request



Polyframe Aluminium fabricate bi-folding doors using the the Smarts Visofoldprofile. The modern aesthetics of a Visofold slide folding door will add a touch of finesse to any home. Complying to all relevant standards the Visofold is available in White, Black or Anthracite grey as standard.



VISOFOLD 1000 KEY FEATURES

- ◆ Traditional design with slim sightlines
- ◆ Sculptured or Chamfered profiles
- ◆ High security multipoint locks fitted to all master sashes
- ◆ Shootbolt locking on all sliding mullions
- ◆ Sashes slide on four stainless steel rollers for effortless operation
- ◆ Doors can fold internally or externally
- ◆ Recessed low threshold option for unrestricted floor levels
- ◆ 1, 2, 3, 4, 5, 6 door options available - up to 7000mm wide
- ◆ U Values up to 1.5
- ◆ Security tested to PAS24, Weather tested to BD6375 Part 1:2009

